
### **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.





## NURSERIES

62.61

BABYLON, L. I.

**NEW YORK** 

Montauk Highway Tel. Babylon 444



## WHOLESALE PRICE LIST JANUARY 1951



Members of the American Ass'n of Nurserymen N. Y. State Nurserymen's Ass'n L. I. Nurserymen's Association

### SPRING 1951

You are always welcome at Bulk's Nurseries.

Come to see us and we will be happy to show you our many blocks of fine well grown stock, especially suited for the landscape trade.

Growers of Choice Nursery Stock for over
a quarter of a century

## Bulk's Nurseries

Babylon, L. J., N. Y.

Tel: Babylon 444

Evenings: Babylon 2252-J

Babylon 1885-R

#### Terms and Conditions of Sale

The prices published in this list cancel those in all previous lists. They are based on present market conditions and are subject to change without notice.

Prices listed are F.O.B. our Nurseries. Transportation at cost borne by the purchaser.

Quantities 1 to 5 at the rate, 5 to 25 at the 10 rate, 25 and over at the 100 rate.

All stock when especially selected on the nursery will be sold at prices commensurate with the values of the specimens chosen.

Because of prevailing conditions, we are unable to do any baling or boxing.

Claims: All claims must be made immediately upon receipt of stock.

**Terms:** Cash with order, or 30 days to parties who have established credit with us.

Balling and burlapping free of charge on evergreens, and also on deciduous stock where B&B is specified; but an additional charge will be made if deciduous stock, not marked B&B is requested balled and burlapped.

SCHEDULE OF	BALLIN	NG CHARGES			
Approximate cost	dependi	ng on varieties.			
DECIDUOUS TREE	DECIDUOUS TREES				
$1\frac{1}{4}$ - $1\frac{1}{2}''$		\$ 3.00			
$1\frac{1}{2} - 2''$	4 4	4.00			
$\bar{2}$ -21/2 $''$	6.6	5.50			
$2\frac{1}{2}$ -3"	4 4	7.50			
3-31/2"	" "	10.00			
$3\frac{1}{2}-4''$	6 6	14.00			
$4-41/_{2}^{\prime\prime}$	6.6	18.00			
$4\frac{1}{2}.5''$	6.6	22.50			
5-6"	4 6	27.50			
6-7''	6.6	35.00			
7-8"	6.6	45.00			
FLOWERING SHR	UBS				
2-3'		.40			
3- <b>4'</b>		.55			
4-5'		.65			
5-6'		.90			
6-7'	1.25	to 1.75			
7-8'	1.50	to 2.25			

The cost of platforms is in addition to the above charges; but will be rebated if they are returned to our nurseries.

We also have in addition to this list, our general line of nursery stock for the wholesale trade at our regular discount. If you haven't a copy of our catalog, drop us a card, and we will send you one.

	Each	per 10	per 100
	3.25	3.00	
			4.00
			Trim)
ABIES douglasi   8-10'	giauca (B) 14 75	13 50	FIF)
10-12'	17.00	10.00	
		Maple)	
2 - 21/2''	7.00	• 1	
/ =			
ACER dissectum	& dissect	um atropur	pureum
( <b>Ja</b> 914-37 gr	<b>ip. cut-iea</b> i vr 8 00	R&R	
$\frac{272-3}{3-4'}$ s <sub>1</sub>	$\frac{12.00}{1}$	"	
4-5'	18.00	"	
5-6'	24.00	"	
ACER palmatum	atropurpu	ıreum	
(Jap. I	Blood-leaf	Maple) B&B	}
$\frac{2\frac{1}{2}-3'}{3}$			
13/ <sub>4</sub> -2" cal	s (Norwa)	y Mapie)	
$\frac{1}{2}$ $\frac{2}{2}$ $\frac{21}{4}$ "	9.00		
21/4 - 21/2''	10.00		
21/2 - 3'''. "	13.75		
$\bar{3}$ -31/2" "	17.50		
6-7" "	32.00		
1-0			
0-9			
4-5" (a)		21.00	
5-6" "			
6-7"	40.00	37.00	
ACER dissectum & dissectum atropurpureum (Jap. cut-leaf Maple)  2½-3′ spr. 8.00 B&B  3-4′ ' 12.00 ''  4-5′ ' 18.00 ''  5-6′ ' 24.00 ''  ACER palmatum atropurpureum (Jap. Blood-leaf Maple) B&B  2½-3′ 8.00 7.25  3-4′ 11.00 10.00  ACER platanoides (Norway Maple)  1¾-2″ cal. 7.00  2-2½/4″ ' 9.00  2½-3″ ' 10.00  2½-3″ ' 13.75  3-3½″ ' 17.50  6-7″ ' 32.00  7-8″ ' 40.00  8-9″ ' 50.00  ACER rubrum (Red Maple)  2-2½/2″ cal. 10.00  4-5″ ' 23.00 21.00  5-6″ ' 30.00 27.00			
· <del>-</del>		4.00	
, <del>-</del>			
		3.75	
· ~	5.00		4.25
	hell-pink)		
		4.00	
		4.00	
4-472	0.50	0.00	



TAXUS HICKSI 11/2 TO 2 FT.

A. ledifolia alba (white)	A.	ledifolia	alba	(white)
---------------------------	----	-----------	------	---------

15-18"	3.25	
$1\frac{1}{2}$ -2'	4.25	4.00
$\frac{1}{2}$ -21/2'	5.50	5.00

### A. pontica in varieties (yellow, red & orange)

15-18"	3.25	3.00	
18-24''	4.25	4.00	3.75
2-21/2'	5.50	5.00	

#### B. thunbergi (Jap. Barberry)

1 - 11/2'	.30	.25	.20
$1\frac{1}{2} - 2'$	.40	.35	.25
$\bar{2}$ -2 $\frac{1}{2}$ '	.55	.45	.35
21/3-3'	.60	.50	.45

#### B. thunbergi atropurpurea (Red Barberry)

thumber 51	an opai par ca	( AUCU DULDCIA	J /
$1\frac{1}{2} - 2'$	.50	.45	.40
$\bar{2}$ -21/2'	.65	.55	.50
$21/_{2}$ -3'	.75	.65	.60

### BIOTA—see page 17

**BUDDLEIA**—see page 19

### CALLICARPA—see page 19

### CASTANEA mollissima (Chinese Chestnut) blight resistant

4-5'	2.25	
5-6'	3.00	2.75
6-7'	4.00	3.75

#### CERCIS canadensis (Red Bud or Judas Tree)

4-5'	2.00
5-6'	2.78
6-8'	3.25

### CHAMAECYPARIS obtusa compacta

	(Football Cy	press)
21/2-3'	3.75	3.50
$\bar{3}$ -31/2'	5.00	4.50

		Each	per 10	per 100
C.	obtusa cripsi	(Golden	Hinoki Cy	press)
	$1\frac{1}{2}-2'$	2.75	2.50	
	$ \begin{array}{c} \tilde{2} - 2\frac{1}{2}' \\ 2\frac{1}{2} - 3' \\ 3 - 3\frac{1}{2}' \end{array} $	3.50	3.25	3.00
	21/2-3'	4.40	4.00	
	3-3½'	5.50	5.00	
	$3\frac{1}{2}-4'$	6.50	6.00	
	$\bar{4}$ -5'	8.50		
	5-6'	11.00	10.00	
C.	obtusa gracili			
	$1\frac{1}{2}-2'$	2.75	2.50	2.25
	1½-2′ 2-2½′ 2½-3′ 3½-4′		3.00	2.75
	$2\frac{1}{2} - 3'$		3.75	3.50
	$3\frac{1}{2}-4'$	6.25		
	4-4½' 4½-5'		7.25	
	$4\frac{1}{2} - 5'$	9.25		
	9-6	11.00	10.00	
	9-10'	30.00		
	10-12'	37.50		
C.	ob. grac. aurea	(Golden	Hinoki Cv	press)
•	7-8'	22.50		<b>F</b> ,
,	8-9'	$\frac{27.50}{27.50}$		
C.	obtusa gracili	is compa	icta Iri Cymros	-1
			ki Cypres	· ·
	15-18"	3.00	9.75	
		4.00	$\frac{3.75}{5.00}$	
	2-21/2'	$\frac{5.50}{7.00}$	$\begin{array}{c} 5.00 \\ 6.50 \end{array}$	
	2½-3′	7.00	0.50	
C.	obtusa nana (	Dwarf H	linoki Cyp	ress)
	10-12''	2.75		
	12-15"	3.75		
	15-18"	4.75		
	18-24"		5.50	
	2-21/2'	9.00		
	, 2			
<b>C.</b>	plumosa (Plu	me Cypr	ess)	
	2-2½' 2½-3' 3-3½' 6-7'	-3.00	2.75	
	21/2-3'	3.25	3.00	
	$3-31/_{2}'$	3.85	3.50	
	6-7'	8.25	7.50	
C.	pisifera aurea	(Golden	Sawara C	vnress)
~•	2-91/-/	2.00	2.75	JPross)
	21/2-3'	3.50	$\frac{2.15}{3.25}$	
	3-31/3'	$\frac{3.50}{4.00}$	3.65	
	31/2-4'	4 40	$\frac{3.05}{4.00}$	
	2-2½' 2½-3' 3-3½' 3½-4' 4-5' heavy 5-6' ''	5 75	5.25	5.00
	5-6' "'	7.70	7.00	0.00
	6-7' ''	9.25	8.50	

					_
		Each	per 10	non 100	
C.	plumosa aurea			per 100	
<b>.</b>	_				
	$\frac{2-21/2'}{21/2'}$	$\frac{3.00}{2.50}$	$\frac{2.75}{2.25}$		
	2½-3′	3.50	3.25		
	3-31/2'	4.00	3.65		
	31/2-4′	4.40	4.00		
	4-5' heavy	5.75	5.25		
	5-6'	7.70	7.00		
	6-7'	9.25	8.50		
	7-8' ''	12.50	0.00		
	5-6' '' 6-7' '' 7-8' '' 8-9' ''	15.00			
C.	filifera aurea (C		read Cvp	ress)	
	6-7'	17.50	- J. F.		
	7-8'	22.50			
J.	-				
<b>∪•</b>	,	3.50	3.25		
	21/2-3'				
	3-31/2' 31/2-4'	4.40	4.00		
	$3\frac{1}{2}-4'$	5.25	4.75		
	4-5'	6.00	5.50		
	5-6'	7.70			
C.	squarrosa (Mos	ss Cynres	s)		
- •	$\frac{2-21/2}{2}$	3.00	2.75		
	$21/_{2} \cdot 3'$	3.25	3.00	2.50-	5
	2½-3′ 3-3½′	3.50	3.25	$\frac{2.00}{3.00}$	2
	91/4/			5.00	
	31/2-4'	4.40	4.00	4.55	
	4-5'	5.50	5.00	4.75	
	5-6'	7.50	7.00		
	6-7'	9.00			
	8-10'	15.00			
	10-12'	20.00			
c.	lawsoniana (Tr		o Poskoor		
<b>O.</b>	10-12'	30.00	e boskoor	• )	
	12-14'	40.00			
С.	florida rubra (	_	(wood) I	B&B	
	4-5'	7.00			
	5-6'	8.75			
С.	kousa (Chinese				
	5-6'	6.25	5.75		
	6-7′	8.00	7.50		
CO	ORNUS—other v	arieties—	see page	19	
CO	TONEASTER a	dpressa	(Prostrate	9	
	Cotoneaster	r) (root ]	pruned)	B&B	
	$2 - 21/_{2}'$	3.75	3.25		
	$21/_{2}$ -3'	4.75	4.25		
C	divaricata (Spi			r) B&B	
•	$1\frac{1}{2}-2'$	1.50	1.35	1.10	
		1.75	1.50	1.25	
	$\frac{2-21/2}{2}$				
	21/2-3'	2.25	$\frac{2.00}{2.50}$	1.75	
	$3-31/_{2}'$	2.75	2.50		
C.	horizontalis (F	Rock Coto			
		1.75	1.50		
	$15\text{-}18''$ field $\mathbf{g}$	r. 2.00	1.75	B&B	
	1½ 2' "	2.75	2.50	B&B	
	-/2-		, - •		



### SPECIMEN TAXUS HICKSI

	Each	per	10	per 10	0
DEUTZIA—see page 19					
DAPHNE mezereu	m (Fe	bruary	Daph	ne)	$\mathbf{B} \& \mathbf{B}$
15-18''		1.			
$1\frac{1}{2}$ -2'	1.75	1.	50		
2 - 21/2'	2.25	2.0	00		
<b>EUONYMUS</b> veget	us—ba	re root			
		ittersw			
medium	.85	.'	75		
E. yeodensis—see p	_				
FAGUS sylvatica r					
(River	rs Purp	ole Beec	eh)		
6-7" cal. 7-8" "	95.00				
TODSVIIIA SOC	115.00				
FORSYTHIA—see			>		
GINGKO biloba (N	naideni 5.50	lair Tr	ee)		
13/ 9" cal.	$\frac{0.00}{7.00}$	pare r	001		
$\frac{1\%4-2}{9.91/2}$	0.00	6.6	6.6		
$\frac{2-21/2}{91/2}$	9.00 11.50	6.6	6.6		
$1\frac{1}{2}$ - $1\frac{3}{4}$ " cal. $1\frac{3}{4}$ - $2$ " " $2$ - $2\frac{1}{2}$ " " $2\frac{1}{2}$ - $3$ " " 4- $5$ " "	11.00	D & D			
HYDRANGEA—see	nage (	D. & D. 20			
II FV granata (Ian	THAILT				
2-21/2'	4.25				
21/2-3/	5.50				
2-2½' 4.25 2½-3' 5.50 3-4' 8.75 4-5' 11.50 8-10' extra heavy 35.00 to 45.00 each					
4-5'	11.50				
8-10' extra he		5.00 to	45.00	each	
10-12' '' ''		5.00 to		"	



### AND HEAVY TAXUS CUSPIDATA

		Each	per 10	per 100
I.	glabra (Inkl	erry)		
	$1\frac{1}{2}-2'$	2.75	2.50	
	$\tilde{2}$ - $21/_{2}'$	3.75	3.50	
	$21/_{2}$ -3'	4.50	4.00	
	$\bar{3}$ -4'	5.75	5.25	
	4-5'	7.50		

### I. opaca (American Holly)

21/2-3'	4.10	3.75
$\bar{3}$ -4'	5.50	5.00
4-5'	7.15	6.50
5-6'	10.00	9.00
6-7'	13.75	
11 19/	65.00	

Selected berried plants 25% additional

### JUNIPERUS chinensis pfitzeriana (Pfitzer Junijer)

$1\frac{1}{2}-2'$	3.25	3.00	2.75
$\tilde{2}$ -21/ $_{2}'$	4.50	4.00	
$21/_{2}$ -3'	5.50	5.00	
$\tilde{3}$ -31/2'	7.00	6.50	
31/2-4'	8.00		


### J. chinensis columnaris

(Columnar Chinese Juniper)

3-4'	4.50	4.00
4-5'	5.50	5.00


		Each	per 10	per 100
J.		eolumnaris (co		
	5-6 <b>′</b>	7.50	6.75	
	6-7'	10.00	9.25	
	7-8'	13.00	12.00	•
	8-10'	16.00	14.75	•
	10-12'	19.75	18.00	
	12-14'	25.00		
J.		(Spiny Greek	Juniner	)
σ.	15-18"	2.50	2.25	,
	11/2-2/	$\begin{array}{c} 2.50 \\ 2.75 \end{array}$		2.25
	$1\frac{1}{2}$ -2' $2$ - $2\frac{1}{2}$ ' $5$ -6'	3.00	$\frac{2.50}{2.75}$	$\frac{2.20}{2.50}$
	5.6'	9.00	2.10	2.00
			ah Tumina	
J.		hibernica (Iris		·r)
	2-21/2'		1.50	
	$2\frac{1}{2} - 3'$ $3 - 3\frac{1}{2}'$	$\frac{2.00}{2.50}$	$\frac{1.75}{2.25}$	
	$3 - 3 \frac{1}{2}$	$\frac{2.50}{2.75}$	2.25	
	5-6'		3.50	
	6-8'		5.00	
J.	com. suecio	ca (Swedish Ju	niper)	
	2 - 21/2'	2.00	1.75	
	4-5'	3.50	3.25	
J.	glauca het	zi (Hetz's Spr	eading J	uniper)
	2-21/2'	4.25		•
	21/2-3/	5.00	4.50	
	2½-3′ 3-4′	6.50	6.00	
J.	virg. canna	rti (Cannarti		
J.	_	(Blue Juniper	_	
•	21/2-3'	3.30	3.00	
	3-4'	4.65	4.25	4.00
	4-5'	5.75	5.25	4.75
	5-6'	7.50	6.75	4.10
	6-7'	9.50	8.75	
	7-8'	$\frac{12.50}{17.50}$	11.00	
	8-10'	17.50	16.00	
	10-12'	22.00		
	12-14'	28.00		
J.		Keteleer Cedar		
	21/2-3'	3.50	3.25	3.00
	3- <b>4'</b>	4.70	4.25	4.00
	4-5'	6.00	5.50	5.25
	5-6'	7.75	7.00	
	6-7'	10.00	9.00	
KA	LMIA latifo	olia (Mt. Laure		
	12-18"	2.25	2.00	
	$1\frac{1}{2}-2'$	2.75	2.50	
	2-21/2'	3.60	3.25	
Τ.Δ		vossi (Goldenc		A)maftad
	6-8'		4.75	e)—granied
	8-10'	7.00	6.50	
F ¥4				
LIC		R styraciflua.		um) B&B
	7-8'	4.00	3.50	
	3½-4" ca 5-6"	al. 26.00		
	5-6" "	' 50.00		

Each   per 10   per 2					
LONICERA—see page 19			Each	per 10	per 100
3-4' 6.00 4-5' 7.50 5-6' 9.75 6-7' 12.00  M. soulangeana nigra & lennei. B&B 2-3' 5.25 3-4' 7.00 6.50 4-5' 9.50 8.75 5-6' 12.00 11.00  M. alba superba (white) B&B 3-4' 6.00 5.50 4-5' 7.70 7.00 5-6' 10.00  M. halleana (Stellata) white B&B 2-2½' 6.00 2½-3' 8.00 3-4' 10.00  NYSSA sylvatica (Sour Gum) B&B 6-7' 7.50 7-8' 10.00 8-10' 13.00 10-12' 17.00  PEARS in varieties 5 yr. 6-8' 3.50 to 7.00 PHILADELPHUS—see page 19 PHYSOCARPUS—see page 19 PHYSOCARPUS—see page 19 PHYSOCARPUS—see page 19 PICEA canadensis alba (White Spruce) 3-4' 4.50 4-5' 5.75 P. excelsa (Norway Spruce) 4-5' 7.00  P. excelsa pendula (Weeping Spruce) 5-6' 7.00  P. excelsa pendula (Weeping Spruce) 5-6' 12.00  P. orientalis (Oriental Spruce) 2-3' 4.00 3-4' 5.50 5.00 4-5' 8.00 7.50  P. pungens (Colorado Spruce) 2-2½' 3.00 2½-3' 4.00 3-4' 5.00  P. pungens glauca (Colorado Blue Spruce) 2-2½-3' 4.50 3-4' 8.00  P. pungens kosteri (Koster Blue Spruce) 2-2½/-3' 6.50 3-4' 8.00  P. pungens kosteri (Koster Blue Spruce) 2-2½/-3' 6.50 3-4' 8.00  P. pungens kosteri (Koster Blue Spruce)	LO	NICERA-		•	1
## 4-5'   7.50   5-6'   9.75   6-7'   12.00    M. soulangeana nigra & lennei.	MA		9	— В&В	
5-6' 9.75 6-7' 12.00  M. soulangeana nigra & lennei. B&B 2-3' 5.25 3-4' 7.00 6.50 4-5' 9.50 8.75 5-6' 12.00 11.00  M. alba superba (white) B&B 3-4' 6.00 5.50 4-5' 7.70 7.00 5-6' 10.00  M. halleana (Stellata) white B&B 2-2½' 6.00 2½-3' 8.00 3-4' 10.00  NYSSA sylvatica (Sour Gum) B&B 6-7' 7.50 7-8' 10.00 8-10' 13.00 10-12' 17.00  PEARS in varieties 5 yr. 6-8' 3.50 to 7.00 PHILADELPHUS—see page 19 PHYSOCARPUS—see page 19 PHYSOCARPUS—see page 19 PHCEA canadensis alba (White Spruce) 3-4' 4.50 4-5' 5.75  P. excelsa (Norway Spruce) 4-5' 4.75 5-6' 7.00  P. excelsa pendula (Weeping Spruce) 5-6' 12.00  P. orientalis (Oriental Spruce) 2-3' 4.00 3-4' 5.50 5.00 4-5' 8.00 7.50  P. pungens (Colorado Spruce) 2-2½' 3.00 2½-3' 4.00 3-4' 5.00  P. pungens glauca (Colorado Blue Spruce) 2-2½' 4.50 3-4' 8.00  P. pungens kosteri (Koster Blue Spruce) 2-2½' 6.50 3-4' 8.00  P. pungens kosteri (Koster Blue Spruce) 2-2½' 6.50 3-4' 8.00  P. pungens kosteri (Koster Blue Spruce) 2-2½' 9.50 8.75					
M. soulangeana nigra & lennei. B&B 2-3' 5.25 3-4' 7.00 6.50 4-5' 9.50 8.75 5-6' 12.00 11.00  M. alba superba (white) B&B 3-4' 6.00 5.50 4-5' 7.70 7.00 5-6' 10.00  M. halleana (Stellata) white B&B 2-21/2' 6.00 21/2-3' 8.00 3-4' 10.00  NYSSA sylvatica (Sour Gum) B&B 6-7' 7.50 7-8' 10.00 8-10' 13.00 10-12' 17.00  PEARS in varieties 5 yr. 6-8' 3.50 to 7.00  PHILADELPHUS—see page 19 PHYSOCARPUS—see page 19 PHYSOCARPUS—see page 19 PHCEA canadensis alba (White Spruce) 3-4' 4.50 4-5' 5.75  P. excelsa (Norway Spruce) 4-5' 5.75  P. excelsa (Norway Spruce) 4-5' 5.6' 7.00  P. orientalis (Oriental Spruce) 2-3' 4.00 3-4' 5.50 5.00 4-5' 8.00 7.50  P. pungens (Colorado Spruce) 2-21/2' 3.00 21/2-3' 4.00 3-4' 5.00  P. pungens glauca (Colorado Blue Spruce) 2-21/2' 4.50 3-4' 8.00  P. pungens kosteri (Koster Blue Spruce) 2-21/2' 6.50 3-4' 8.00  P. pungens kosteri (Koster Blue Spruce) 2-21/2' 9.50 8.75					
M. soulangeana nigra & lennei. B&B 2-3' 5.25 3-4' 7.00 6.50 4-5' 9.50 8.75 5-6' 12.00 11.00  M. alba superba (white) B&B 3-4' 6.00 5.50 4-5' 7.70 7.00 5-6' 10.00  M. halleana (Stellata) white B&B 2-2½' 6.00 2½-3' 8.00 3-4' 10.00  NYSSA sylvatica (Sour Gum) B&B 6-7' 7.50 7-8' 10.00 8-10' 13.00 10-12' 17.00  PEARS in varieties 5 yr. 6-8' 3.50 to 7.00  PHILADELPHUS—see page 19 PHYSOCARPUS—see page 19 PHYSOCARPUS—see page 19 PICEA canadensis alba (White Spruce) 3-4' 4.50 4-5' 5.75  P. excelsa (Norway Spruce) 4-5' 5.75  P. excelsa (Norway Spruce) 4-5' 5.6' 7.00  P. orientalis (Oriental Spruce) 2-3' 4.00 3-4' 5.50 5.00 4-5' 8.00 7.50  P. pungens (Colorado Spruce) 2-2½' 3.00 2½-3' 4.00 3-4' 5.00  P. pungens glauca (Colorado Blue Spruce) 2-2½' 4.50 3-4' 8.00  P. pungens glauca (Colorado Blue Spruce) 2-2½-3' 6.50 3-4' 8.00  P. pungens kosteri (Koster Blue Spruce) 2-2½-3' 6.50 3-4' 8.00  P. pungens kosteri (Koster Blue Spruce) 2-2½-3' 6.50 3-4' 8.00  P. pungens kosteri (Koster Blue Spruce) 2-2½-3' 6.50 3-4' 8.00  P. pungens kosteri (Koster Blue Spruce)					
2-3' 5.25 3-4' 7.00 6.50 4-5' 9.50 8.75 5-6' 12.00 11.00  M. alba superba (white) B&B 3-4' 6.00 5.50 4-5' 7.70 7.00 5-6' 10.00  M. halleana (Stellata) white B&B 2-21½' 6.00 21½-3' 8.00 3-4' 10.00  NYSSA sylvatica (Sour Gum) B&B 6-7' 7.50 7-8' 10.00 8-10' 13.00 10-12' 17.00  PEARS in varieties 5 yr. 6-8' 3.50 to 7.00  PHILADELPHUS—see page 19  PHYSOCARPUS—see page 19  PICEA canadensis alba (White Spruce) 3-4' 4.50 4-5' 5.75  P. excelsa (Norway Spruce) 4-5' 5-6' 7.00  P. excelsa pendula (Weeping Spruce) 5-6' 12.00  P. orientalis (Oriental Spruce) 2-3' 4.00 3-4' 5.50 5.00 4-5' 8.00 7.50  P. pungens (Colorado Spruce) 2-21½' 3.00 21½-3' 4.00 3-4' 5.00  P. pungens glauca (Colorado Blue Spruce) 2-21½' 4.50 3-4' 8.00  P. pungens kosteri (Koster Blue Spruce) 2-21½' 9.50 8.75		•			-
4.5' 9.50 8.75 5-6' 12.00 11.00  M. alba superba (white) B&B 3.4' 6.00 5.50 4.5' 7.70 7.00 5-6' 10.00  M. halleana (Stellata) white B&B 2-2½' 6.00 2½-3' 8.00 3-4' 10.00  NYSSA sylvatica (Sour Gum) B&B 6-7' 7.50 7-8' 10.00 8-10' 13.00 10-12' 17.00  PEARS in varieties 5 yr. 6-8' 3.50 to 7.00  PHILADELPHUS—see page 19 PHYSOCARPUS—see page 19 PHYSOCARPUS—see page 19 PICEA canadensis alba (White Spruce) 3-4' 4.50 4-5' 5.75  P. excelsa (Norway Spruce) 4-5' 7.00  P. excelsa (Norway Spruce) 4-5' 7.00  P. excelsa pendula (Weeping Spruce) 5-6' 12.00  P. orientalis (Oriental Spruce) 2-3' 4.00 3-4' 5.50 5.00 4-5' 8.00 7.50  P. pungens (Colorado Spruce) 2-2½' 3.00 2½-3' 4.00 3-4' 5.00  P. pungens glauca (Colorado Blue Spruce) 2-2½-3' 4.00 3-4' 5.00  P. pungens glauca (Colorado Blue Spruce) 2-2½-3' 6.50 3-4' 8.00  P. pungens kosteri (Koster Blue Spruce) 2-2½/2 6.50 3-4' 8.00  P. pungens kosteri (Koster Blue Spruce) 2-2½/2' 9.50	M.			ennei. <b>B&amp;</b>	В
5-6' 12.00 11.00  M. alba superba (white) B&B 3-4' 6.00 5.50 4-5' 7.70 7.00 5-6' 10.00  M. halleana (Stellata) white B&B 2-2½' 6.00 2½-3' 8.00 3-4' 10.00  NYSSA sylvatica (Sour Gum) B&B 6-7' 7.50 7-8' 10.00 8-10' 13.00 10-12' 17.00  PEARS in varieties 5 yr. 6-8' 3.50 to 7.00  PHILADELPHUS—see page 19 PHYSOCARPUS—see page 19 PHYSOCARPUS—see page 19 PICEA canadensis alba (White Spruce) 3-4' 4.50 4-5' 5.75  P. excelsa (Norway Spruce) 4-5' 5.75  P. excelsa (Norway Spruce) 4-5' 7.00  P. orientalis (Oriental Spruce) 2-3' 4.00 3-4' 5.50 5.00 4-5' 8.00 7.50  P. pungens (Colorado Spruce) 2-2½' 3.00 2½-3' 4.00 3-4' 5.00  P. pungens glauca (Colorado Blue Spruce 2-2½' 4.50 3-4' 8.00  P. pungens kosteri (Koster Blue Spruce) 2-2½' 6.50 3-4' 8.00  P. pungens kosteri (Koster Blue Spruce) 2-2½' 8.00 P. pungens kosteri (Koster Blue Spruce) 2-2½' 9.50		3-4'	7.00	6.50	
M. alba superba (white) B&B  3-4' 6.00 5.50  4-5' 7.70 7.00  5-6' 10.00  M. halleana (Stellata) white 2-2½' 6.00  2½-3' 8.00  3-4' 10.00  NYSSA sylvatica (Sour Gum) B&B  6-7' 7.50  7-8' 10.00  8-10' 13.00  10-12' 17.00  PEARS in varieties 5 yr. 6-8' 3.50 to 7.00  PHILADELPHUS—see page 19  PHYSOCARPUS—see page 19  PICEA canadensis alba (White Spruce)  3-4' 4.50  4-5' 5.75  P. excelsa (Norway Spruce)  4-5' 7.00  P. excelsa pendula (Weeping Spruce)  5-6' 7.00  P. orientalis (Oriental Spruce)  2-3' 4.00  3-4' 5.50 5.00  4-5' 8.00 7.50  P. pungens (Colorado Spruce)  2-2½' 3.00  2½-3' 4.00  3-4' 5.50  5.00  P. pungens glauca (Colorado Blue Spruce  2-2½' 4.50  2½-3' 4.00  3-4' 8.00  P. pungens kosteri (Koster Blue Spruce)  2-2½' 6.50  3-4' 8.00  P. pungens kosteri (Koster Blue Spruce)  2-2½' 9.50 8.75					
3-4' 6.00 5.50 4-5' 7.70 7.00 5-6' 10.00  M. halleana (Stellata) white B&B 2-2½' 6.00 2½-3' 8.00 3-4' 10.00  NYSSA sylvatica (Sour Gum) B&B 6-7' 7.50 7-8' 10.00 8-10' 13.00 10-12' 17.00  PEARS in varieties 5 yr. 6-8' 3.50 to 7.00  PHILADELPHUS—see page 19 PHYSOCARPUS—see page 19 PHYSOCARPUS—see page 19 PICEA canadensis alba (White Spruce) 3-4' 4.50 4-5' 5.75  P. excelsa (Norway Spruce) 4-5' 7.00  P. excelsa pendula (Weeping Spruce) 5-6' 7.00  P. orientalis (Oriental Spruce) 2-3' 4.00 3-4' 5.50 5.00 4-5' 8.00 7.50  P. pungens (Colorado Spruce) 2-2½' 3.00 2½-3' 4.00 3-4' 5.00  P. pungens glauca (Colorado Blue Spruce 2-2½' 6.50 3-4' 8.00  P. pungens kosteri (Koster Blue Spruce) 2-2½' 6.50 3-4' 8.00  P. pungens kosteri (Koster Blue Spruce) 2-2½' 9.50		5-6'	12.00	11.00	
4.5' $7.70$ $7.00$ 5-6' $10.00$ M. halleana (Stellata) white $2 \cdot 2^1 l_2'$ $6.00$ $2^1 l_2 \cdot 3'$ $8.00$ $3 \cdot 4'$ $10.00$ NYSSA sylvatica (Sour Gum) B&B $6 \cdot 7'$ $7.50$ $7 \cdot 8'$ $10.00$ $8 \cdot 10'$ $13.00$ $10 \cdot 12'$ $17.00$ PEARS in varieties $5 \text{ yr. } 6 \cdot 8'$ $3.50 \text{ to } 7.00$ PHILADELPHUS—see page 19  PHYSOCARPUS—see page 19  PICEA canadensis alba (White Spruce) $3 \cdot 4'$ $4.50$ $4 \cdot 5'$ $5.75$ P. excelsa (Norway Spruce) $4 \cdot 5'$ $5 \cdot 6'$ $7.00$ P. excelsa pendula (Weeping Spruce) $5 \cdot 6'$ $7.00$ P. orientalis (Oriental Spruce) $2 \cdot 3'$ $4.00$ $3 \cdot 4'$ $5.50$ $5.00$ $4 \cdot 5'$ $8.00$ $7.50$ P. pungens (Colorado Spruce) $2 \cdot 2^1 l_2'$ $3.00$ $2^1 l_2 \cdot 3'$ $4.00$ $3 \cdot 4'$ $5.00$ P. pungens glauca (Colorado Blue Spruce) $2 \cdot 2^1 l_2'$ $4.50$ $3 \cdot 4'$ $8.00$ P. pungens kosteri (Koster Blue Spruce) $2 \cdot 2^1 l_2'$ $6.50$ $3 \cdot 4'$ $8.00$	M.				
5-6' 10.00  M. halleana (Stellata) white $2-21/2'$ 6.00 $21/2-3'$ 8.00 $3-4'$ 10.00  NYSSA sylvatica (Sour Gum) B&B $6-7'$ 7.50 $7-8'$ 10.00 $8-10'$ 13.00 $10-12'$ 17.00  PEARS in varieties 5 yr. 6-8' 3.50 to 7.00  PHILADELPHUS—see page 19  PHYSOCARPUS—see page 19  PICEA canadensis alba (White Spruce) $3-4'$ 4.50 $4-5'$ 5.75  P. excelsa (Norway Spruce) $4-5'$ 5.75  P. excelsa (Norway Spruce) $3-4'$ 4.75 $3-6'$ 7.00  P. orientalis (Oriental Spruce) $3-4'$ 4.00 $3-4'$ 5.50 5.00 $3-4'$ 5.50 5.00  P. pungens (Colorado Spruce) $2-21/2'$ 3.00  P. pungens glauca (Colorado Blue Spruce) $2-21/2-3'$ 4.00 $3-4'$ 5.00  P. pungens splauca (Colorado Blue Spruce) $2-21/2-3'$ 6.50 $3-4'$ 8.00  P. pungens kosteri (Koster Blue Spruce) $2-21/2-3'$ 6.50 $3-4'$ 8.00  P. pungens kosteri (Koster Blue Spruce) $2-21/2-3'$ 6.50 $3-4'$ 8.00  P. pungens kosteri (Koster Blue Spruce) $2-21/2-3'$ 6.50 $3-4'$ 8.00		_			
M. halleana (Stellata) white 2-21/2′ 6.00 21/2-3′ 8.00 3-4′ 10.00  NYSSA sylvatica (Sour Gum) B&B 6-7′ 7.50 7-8′ 10.00 8-10′ 13.00 10-12′ 17.00  PEARS in varieties 5 yr. 6-8′ 3.50 to 7.00  PHILADELPHUS—see page 19  PHYSOCARPUS—see page 19  PICEA canadensis alba (White Spruce) 3-4′ 4.50 4-5′ 5.75  P. excelsa (Norway Spruce) 4-5′ 4.75 5-6′ 7.00  P. excelsa pendula (Weeping Spruce) 5-6′ 12.00  P. orientalis (Oriental Spruce) 2-3′ 4.00 3-4′ 5.50 5.00 4-5′ 8.00 7.50  P. pungens (Colorado Spruce) 2-21/2′ 3.00 21/2-3′ 4.00 3-4′ 5.00  P. pungens glauca (Colorado Blue Spruce) 2-21/2′ 4.50 21/2-3′ 6.50 3-4′ 8.00  P. pungens kosteri (Koster Blue Spruce) 2-21/2′ 9.50 8.75				7.00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		0 0			
2½-3½ 8.00 3-4′ 10.00  NYSSA sylvatica (Sour Gum) B&B 6-7′ 7.50 7-8′ 10.00 8-10′ 13.00 10-12′ 17.00  PEARS in varieties 5 yr. 6-8′ 3.50 to 7.00  PHILADELPHUS—see page 19  PHYSOCARPUS—see page 19  PICEA canadensis alba (White Spruce) 3-4′ 4.50 4-5′ 5.75  P. excelsa (Norway Spruce) 4-5′ 4.75 5-6′ 7.00  P. excelsa pendula (Weeping Spruce) 5-6′ 12.00  P. orientalis (Oriental Spruce) 2-3′ 4.00 3-4′ 5.50 5.00 4-5′ 8.00 7.50  P. pungens (Colorado Spruce) 2-2½′ 3.00 2½-3′ 4.00 3-4′ 5.00  P. pungens glauca (Colorado Blue Spruce 2-2½′ 4.50 2½-3′ 6.50 3-4′ 8.00  P. pungens kosteri (Koster Blue Spruce) 2-2½′ 9.50 8.75	М.			nite B&B	
NYSSA sylvatica (Sour Gum) B&B 6-7' 7.50 7-8' 10.00 8-10' 13.00 10-12' 17.00  PEARS in varieties 5 yr. 6-8' 3.50 to 7.00  PHILADELPHUS—see page 19  PHYSOCARPUS—see page 19  PHCEA canadensis alba (White Spruce) 3-4' 4.50 4-5' 5.75  P. excelsa (Norway Spruce) 4-5' 4.75 5-6' 7.00  P. orientalis (Oriental Spruce) 2-3' 4.00 3-4' 5.50 5.00 4-5' 8.00 7.50  P. pungens (Colorado Spruce) 2-2½' 3.00 2½-3' 4.00 3-4' 5.00  P. pungens glauca (Colorado Blue Spruce 2-2½' 4.50 3-4' 8.00  P. pungens skosteri (Koster Blue Spruce) 2-2½' 9.50 8.75		$\frac{2-21}{2}$	8.00		
NYSSA sylvatica (Sour Gum) 6-7' 7-8' 10.00 8-10' 13.00 10-12' 17.00  PEARS in varieties 5 yr. 6-8' 3.50 to 7.00  PHILADELPHUS—see page 19  PHYSOCARPUS—see page 19  PICEA canadensis alba (White Spruce) 3-4' 4-5' 5-75  P. excelsa (Norway Spruce) 4-5' 5-6' 7.00  P. excelsa pendula (Weeping Spruce) 5-6' 12.00  P. orientalis (Oriental Spruce) 2-3' 4.00 3-4' 5.50 5.00 4-5' 8.00 7.50  P. pungens (Colorado Spruce) 2-21/2' 3.00 21/2-3' 4.00 3-4' 5.00  P. pungens glauca (Colorado Blue Spruce 2-21/2' 4.50 3-4' 8.00  P. pungens kosteri (Koster Blue Spruce) 2-21/2' 9.50 8.75		3-4'	10.00		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	NIV	<u> </u>		um) PfrD	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	14 1			ипі) вав	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		•			
PEARS in varieties $5 \text{ yr. } 6-8' 3.50 \text{ to } 7.00$ PHILADELPHUS—see page 19 PHYSOCARPUS—see page 19 PICEA canadensis alba (White Spruce) $3-4'$ $4.50$ $4-5'$ $5.75$ P. excelsa (Norway Spruce) $4.5'$ $5.6'$ $7.00$ P. excelsa pendula (Weeping Spruce) $5-6'$ $12.00$ P. orientalis (Oriental Spruce) $2-3'$ $4.00$ $3-4'$ $5.50$ $5.00$ $4-5'$ $8.00$ $7.50$ P. pungens (Colorado Spruce) $2-21/2'$ $3.00$ $21/2-3'$ $4.00$ $3-4'$ $5.00$ P. pungens glauca (Colorado Blue Spruce $2-21/2'$ $4.50$ $3-4'$ $8.00$ P. pungens kosteri (Koster Blue Spruce) $2-21/2$ $9.50$ $8.75$		8-10'			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		10 - 12'	17.00		
PHILADELPHUS—see page 19 PHYSOCARPUS—see page 19 PICEA canadensis alba (White Spruce)  3-4'	PE	ARS in v	arieties		
PHYSOCARPUS—see page 19  PICEA canadensis alba (White Spruce) $3-4'$ $4.50$ $4-5'$ $5.75$ P. excelsa (Norway Spruce) $4-5'$ $5-6'$ $7.00$ P. excelsa pendula (Weeping Spruce) $5-6'$ $12.00$ P. orientalis (Oriental Spruce) $2-3'$ $4.00$ $3-4'$ $5.50$ $5.00$ $4-5'$ $8.00$ $7.50$ P. pungens (Colorado Spruce) $2-21/2'$ $3.00$ $21/2-3'$ $3-4'$ $5.00$ P. pungens glauca (Colorado Blue Spruce) $2-21/2$ $4.50$ $21/2-3'$ $3-4'$ $8.00$ P. pungens kosteri (Koster Blue Spruce) $2-21/2'$ $9.50$ $8.75$		5 yr.	6-8' 3.50 to '	7.00	
PICEA canadensis alba (White Spruce) $3-4'$ $4.50$ $4-5'$ $5.75$ P. excelsa (Norway Spruce) $4.5'$ $5.6'$ $7.00$ P. excelsa pendula (Weeping Spruce) $5-6'$ $12.00$ P. orientalis (Oriental Spruce) $2-3'$ $4.00$ $3-4'$ $5.50$ $5.00$ $4-5'$ $8.00$ $7.50$ P. pungens (Colorado Spruce) $2-21/2$ $3.00$ $21/2-3'$ $4.00$ $3-4'$ $5.00$ P. pungens glauca (Colorado Blue Spruce) $2-21/2$ $4.50$ $21/2-3'$ $6.50$ $3-4'$ $8.00$ P. pungens kosteri (Koster Blue Spruce) $2-21/2$ $9.50$ $8.75$	PH	ILADELI	PHUS—see pa	ge 19	
3-4' 4.50 4-5' 5.75  P. excelsa (Norway Spruce) 4-5' 4.75 5-6' 7.00  P. excelsa pendula (Weeping Spruce) 5-6' 12.00  P. orientalis (Oriental Spruce) 2-3' 4.00 3-4' 5.50 5.00 4-5' 8.00 7.50  P. pungens (Colorado Spruce) 2-2 $\frac{1}{2}$ -3' 4.00 3-4' 5.00  P. pungens glauca (Colorado Blue Spruce) 2-2 $\frac{1}{2}$ -3' 4.50 2 $\frac{1}{2}$ -3' 6.50 3-4' 8.00  P. pungens kosteri (Koster Blue Spruce) 2-2 $\frac{1}{2}$ -3' 8.00  P. pungens kosteri (Koster Blue Spruce) 2-2 $\frac{1}{2}$ -3' 8.00	PH	YSOCAR	PUS—see page	e 19	
3-4' 4.50 4-5' 5.75  P. excelsa (Norway Spruce) 4-5' 4.75 5-6' 7.00  P. excelsa pendula (Weeping Spruce) 5-6' 12.00  P. orientalis (Oriental Spruce) 2-3' 4.00 3-4' 5.50 5.00 4-5' 8.00 7.50  P. pungens (Colorado Spruce) 2-2 $\frac{1}{2}$ -3' 4.00 3-4' 5.00  P. pungens glauca (Colorado Blue Spruce) 2-2 $\frac{1}{2}$ -3' 4.50 2 $\frac{1}{2}$ -3' 6.50 3-4' 8.00  P. pungens kosteri (Koster Blue Spruce) 2-2 $\frac{1}{2}$ -3' 8.00  P. pungens kosteri (Koster Blue Spruce) 2-2 $\frac{1}{2}$ -3' 8.00	PIC	CEA cana	densis alba (V	Vhite Spruce	e)
P. excelsa (Norway Spruce) $4.5'$ $4.75$ $5.6'$ $7.00$ P. excelsa pendula (Weeping Spruce) $5.6'$ $12.00$ P. orientalis (Oriental Spruce) $2.3'$ $4.00$ $3.4'$ $5.50$ $5.00$ $4.5'$ $8.00$ $7.50$ P. pungens (Colorado Spruce) $2.21/2$ $3.00$ $21/2.3'$ $4.00$ $3.4'$ $5.00$ P. pungens glauca (Colorado Blue Spruce $2.21/2$ $4.50$ $21/2.3'$ $4.50$ $21/2.3'$ $6.50$ $3.4'$ $8.00$ P. pungens kosteri (Koster Blue Spruce) $2.21/2$ $9.50$ $8.75$		3-4'	4.50		
4.5' $4.75$ $5-6'$ $7.00$ P. excelsa pendula (Weeping Spruce) $5-6'$ $12.00$ P. orientalis (Oriental Spruce) $2-3'$ $4.00$ $3-4'$ $5.50$ $5.00$ $4-5'$ $8.00$ $7.50$ P. pungens (Colorado Spruce) $2-21/2'$ $3.00$ $21/2-3'$ $4.00$ $3-4'$ $5.00$ P. pungens glauca (Colorado Blue Spruce $2-21/2'$ $4.50$ $21/2-3'$ $6.50$ $3-4'$ $8.00$ P. pungens kosteri (Koster Blue Spruce) $2-21/2'$ $9.50$ $8.75$		4-5'	5.75		
P. excelsa pendula (Weeping Spruce) $5-6'$ $12.00$ P. orientalis (Oriental Spruce) $2-3'$ $4.00$ $3-4'$ $5.50$ $5.00$ $4-5'$ $8.00$ $7.50$ P. pungens (Colorado Spruce) $2-21/2'$ $3.00$ $21/2-3'$ $4.00$ $3-4'$ $5.00$ P. pungens glauca (Colorado Blue Spruce $2-21/2'$ $4.50$ $21/2-3'$ $6.50$ $3-4'$ $8.00$ P. pungens kosteri (Koster Blue Spruce) $2-21/2'$ $9.50$ $8.75$	Ρ.			ce)	
P. excelsa pendula (Weeping Spruce) $5-6'$ $12.00$ P. orientalis (Oriental Spruce) $2-3'$ $4.00$ $3-4'$ $5.50$ $5.00$ $4-5'$ $8.00$ $7.50$ P. pungens (Colorado Spruce) $2-21/2'$ $3.00$ $21/2-3'$ $4.00$ $3-4'$ $5.00$ P. pungens glauca (Colorado Blue Spruce $2-21/2'$ $4.50$ $21/2-3'$ $6.50$ $3-4'$ $8.00$ P. pungens kosteri (Koster Blue Spruce) $2-21/2'$ $9.50$ $8.75$					
7. orientalis (Oriental Spruce) 2-3' 4.00 3-4' 5.50 5.00 4-5' 8.00 7.50  P. pungens (Colorado Spruce) 2-2 $\frac{1}{2}$ ' 3.00 2 $\frac{1}{2}$ -3' 4.00 3-4' 5.00  P. pungens glauca (Colorado Blue Spruce) 2-2 $\frac{1}{2}$ -3' 6.50 2 $\frac{1}{2}$ -3' 6.50 3-4' 8.00  P. pungens kosteri (Koster Blue Spruce) 2-2 $\frac{1}{2}$ ' 9.50 8.75		0 0	• • • •		
P. orientalis (Oriental Spruce) $ \begin{array}{ccccccccccccccccccccccccccccccccccc$	Ρ.			ping Spruce	)
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	_				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Р.			ruce)	
4-5' $8.00$ $7.50$ P. pungens (Colorado Spruce) $ \begin{array}{ccccccccccccccccccccccccccccccccccc$				5.00	
P. pungens (Colorado Spruce) $2 \cdot 2^{1}/2'$ 3.00 $2^{1}/2 \cdot 3'$ 4.00 $3 \cdot 4'$ 5.00 P. pungens glauca (Colorado Blue Spruce $2 \cdot 2^{1}/2'$ 4.50 $2^{1}/2 \cdot 3'$ 6.50 $3 \cdot 4'$ 8.00 P. pungens kosteri (Koster Blue Spruce) $2 \cdot 2^{1}/2'$ 9.50 8.75		J =			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Ρ.	pungens		•	
$3-4'$ 5.00  P. pungens glauca (Colorado Blue Spruce $2-2\frac{1}{2}$ ' 4.50 $2\frac{1}{2}-3$ ' 6.50 $3-4$ ' 8.00  P. pungens kosteri (Koster Blue Spruce) $2-2\frac{1}{2}$ ' 9.50 8.75		2-21/2'	3.00	,	
P. pungens glauca (Colorado Blue Spruce $2-2\frac{1}{2}$ ' $4.50$ $2\frac{1}{2}-3$ ' $6.50$ $3-4$ ' $8.00$ P. pungens kosteri (Koster Blue Spruce) $2-2\frac{1}{2}$ ' $9.50$ $8.75$		21/2-3'			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		O I			
P. pungens kosteri (Koster Blue Spruce) $2-2\frac{1}{2}$ 9.50 8.75	Ρ.	pungens	glauca (Color	rado Blue S	pruce
P. pungens kosteri (Koster Blue Spruce) $2-2\frac{1}{2}$ 9.50 8.75		$\frac{2-27/2}{21/2-3'}$			
P. pungens kosteri (Koster Blue Spruce) $2-2\frac{1}{2}$ 9.50 8.75		$\frac{2}{3}$ -4'			
$2-2\frac{1}{2}$ 9.50 8.75	P.			er Blue Spi	ruce)
91/ <sub>-</sub> 3′ 11.50 10.50		2 - 21/2'	9.50	8.75	
272-0 11.00 10.00		$21/_{2}$ -3'	11.50	10.50	



### AIRVIEW OF MAIN NURSERY --S

	Each ]	per 10	per 100
P. pungens kos	teri (continued	1)	
3-315'	13.50	12.50	
PIERIS japonie	a (Andromeda	)	
15-18''	3.00	2.75	2.50
112-2'	3.75	3.50	3.00
$2.21_{2}'$	5.00	4.75	4.25
212-3'	6.50	6.00	5.75
;}_;;}1 _'	9.50	8.75	
PINUS cembra	(Swiss Stone	Pine)	
$21/_{2}$ -3'	6.00		
3-4'	7.50	7.00	



### UTH SIDE OF MONTAUK HIGHWAY

	Each	per 10	per 100
PINUS montana mu	ighus (N	Iugho Pine	e)
12 - 15''	2.50		
15-18"	3.00		
11/2-2'	3.50		
P. densiflora (Jap.	Red Pin	ie)	
3-4'	5.00	ŕ	
4-5'	7.00		
P. strobus (White	Pine) co	mpact	
2-3'	3.25	3.00	2.75
3-4'	4.00	3.75	3.50
4-5'	6.00	5.25	4.75
5-6' heavy	8.00	7.25	6.75
6-7' ''	9.50	9.00	

12	BUI	LK'S NURS	ERIES	
P.	sylvestris (Sc	Each cotch Pine)	per 10	per 100
	4-5'	7.50		
	5-6'	9.75		
	<i>9</i> -0	5.10		
Ρ.	thunbergi (Ja		ine)	
	2-3' 3-4'	6.25		
	4-5	8.75		
	<del>∦</del> -0	0.10		
PL	ATANUS orie (Orient	ntalis (Sycal Plane)	amore)	
	$1\frac{3}{4}-2''$ cal.	8.00		
QU	JERCUS palust		ak)	
	9 91/"	10.00		
	$\frac{2^{-24}/4}{21/2-3''}$	17.50		
	$1\frac{3}{4} - 2''$ cal $2 - 2\frac{1}{4}''$ $2\frac{1}{2} - 3''$ $3 - 3\frac{1}{2}''$	21.00		
	5-575	21.00		
RH	IODODENDRO (Grea	t Bay Rhod		)
	2-3' heav	y = 4.00		
	2-3' heav; 3-4' '' 4-5' ''	6.00		
	4-5'	8.00		
PL	IODODENDRO	N Uwhnide	in vario	eties, Album
161	Novum, Cata Roseum Eleg F. D. Godmai	wbiense Al gans, Parso n, etc.	ba, Ignat n's Glori	ius Sargent,
161	Novum, Cata Roseum Eleg F. D. Godman $1\frac{1}{2}$ -2'	wbiense Algans, Parson, etc.	ba, Ignat n's Glorie	ius Sargent,
161	Novum, Cata Roseum Eleg F. D. Godman $1\frac{1}{2}$ -2'	wbiense Algans, Parson, etc. 6.60 8.25	ba, Ignat n's Glorie 6.00 7.50	ius Sargent,
101	Novum, Cata Roseum Eleg F. D. Godmai	wbiense Algans, Parson, etc.	ba, Ignat n's Glorie 6.00 7.50	ius Sargent,
	Novum, Cata Roseum Eleg F. D. Godman $1\frac{1}{2}$ - $2^{\prime}$ $2$ - $2\frac{1}{2}^{\prime}$ $2\frac{1}{2}$ - $3^{\prime}$ LIX babylonic	wbiense Algans, Parson, etc. 6.60 8.25 11.00	6.00 7.50 10.00	ius Sargent, osum,
SA	Novum, Cata Roseum Eleg F. D. Godman $1\frac{1}{2}$ - $2^{\prime}$ $2$ - $2\frac{1}{2}$ ' $2\frac{1}{2}$ - $3^{\prime}$ LIX babylonics $8$ - $10^{\prime}$	wbiense Algans, Parson, etc.  6.60  8.25  11.00  a & wiscons  3.25	6.00 7.50 10.00 sin (Weep	ius Sargent, osum, oing Willow) 2.75
SA	Novum, Cata Roseum Eleg F. D. Godman $1\frac{1}{2}$ - $2^{\prime}$ $2$ - $2\frac{1}{2}$ ' $2\frac{1}{2}$ - $3^{\prime}$ LIX babylonics $8$ - $10^{\prime}$	wbiense Algans, Parson, etc.  6.60  8.25  11.00  a & wiscons  3.25	6.00 7.50 10.00 sin (Weep	ius Sargent, osum, oing Willow) 2.75
SA	Novum, Cata Roseum Eleg F. D. Godman $1\frac{1}{2}$ - $2^{\prime}$ $2$ - $2\frac{1}{2}$ ' $2\frac{1}{2}$ - $3^{\prime}$ LIX babylonic	wbiense Algans, Parson, etc.  6.60  8.25  11.00  a & wiscons  3.25	6.00 7.50 10.00 sin (Weep	ius Sargent, osum, oing Willow) 2.75
SA	Novum, Cata Roseum Eleg F. D. Godman $1\frac{1}{2} - 2'$ $2 - 2\frac{1}{2}'$ $2\frac{1}{2} - 3'$ LIX babylonic 8 - 10' $8 - 10'$ $1\frac{1}{2} - 2''$ $8 - 10'$ $2 - 2\frac{1}{2}''$	wbiense Algans, Parson, etc. 6.60 8.25 11.00 a & wiscons 3.25 eal. 4.50 '' 5.50	6.00 7.50 10.00 sin (Weep 3.00 4.00 5.00	ius Sargent, osum, oing Willow) 2.75
SA	Novum, Cata Roseum Eleg F. D. Godman $1\frac{1}{2}$ - $2\frac{1}{2}$ $2\cdot 2\frac{1}{2}$ ' $2\frac{1}{2}$ - $3\frac{1}{2}$ ' S-10' $2\cdot 2\frac{1}{2}$ '' purpurea nan	wbiense Algans, Parson, etc.  6.60 8.25 11.00  a & wiscons 3.25 cal. 4.50 '' 5.50  a (Arctic V	6.00 7.50 10.00 sin (Weep 3.00 4.00 5.00 Villow)	ius Sargent, osum,  oing Willow) 2.75 3.50 4.50
SA	Novum, Cata Roseum Eleg F. D. Godman $1\frac{1}{2} - 2'$ $2 - 2\frac{1}{2}'$ $2\frac{1}{2} - 3'$ LIX babylonic 8 - 10' $8 - 10'$ $1\frac{1}{2} - 2''$ $8 - 10'$ $2 - 2\frac{1}{2}''$	wbiense Algans, Parson, etc.  6.60 8.25 11.00  a & wiscons 3.25 cal. 4.50 '' 5.50  a (Arctic V	6.00 7.50 10.00 sin (Weep 3.00 4.00 5.00	ius Sargent, osum, oing Willow) 2.75
SA	Novum, Cata Roseum Eleg F. D. Godman $1\frac{1}{2}$ - $2\frac{1}{2}$ $2\cdot 2\frac{1}{2}$ ' $2\frac{1}{2}$ - $3\frac{1}{2}$ ' S-10' $2\cdot 2\frac{1}{2}$ '' purpurea nan	wbiense Algans, Parson, etc. 6.60 8.25 11.00 a & wiscons 3.25 eal. 4.50 '' 5.50 a (Arctic V	6.00 7.50 10.00 sin (Weep 3.00 4.00 5.00 Villow)	oing Willow) 2.75 3.50 4.50
SA S. SP	Novum, Cata Roseum Eleg F. D. Godman $1\frac{1}{2} - 2^{\prime}$ $2 - 2\frac{1}{2}^{\prime}$ $2\frac{1}{2} - 3^{\prime}$ LIX babylonic: $8 - 10^{\prime}$ $8 - 10^{\prime}$ $1\frac{1}{2} - 2^{\prime\prime}$ $8 - 10^{\prime}$ $2 - 2\frac{1}{2}^{\prime\prime}$ purpurea nan $4 - 5^{\prime}$ PIREA—see pag	wbiense Algans, Parson, etc. 6.60 8.25 11.00 a & wiscons 3.25 cal. 4.50 '' 5.50 a (Arctic V 1.50 ge 19	ba, Ignat n's Glorie 6.00 7.50 10.00 sin (Weep 3.00 4.00 5.00 Villow) 1.25	oing Willow) 2.75 3.50 4.50
SA S. SP	Novum, Cata Roseum Eleg F. D. Godman $1\frac{1}{2} - 2^{\prime}$ $2 - 2\frac{1}{2}^{\prime}$ $2\frac{1}{2} - 3^{\prime}$ LIX babylonic: $8 - 10^{\prime}$ $8 - 10^{\prime}$ $1\frac{1}{2} - 2^{\prime\prime}$ $8 - 10^{\prime}$ $2 - 2\frac{1}{2}^{\prime\prime}$ purpurea nan $4 - 5^{\prime}$ PIREA—see pag	wbiense Algans, Parson, etc.  6.60 8.25 11.00  a & wiscons 3.25 eal. 4.50 '' 5.50  a (Arctic V 1.50 ge 19 ris (Common (strong plane)	ba, Ignat n's Glorie 6.00 7.50 10.00 sin (Weep 3.00 4.00 5.00 Villow) 1.25	oing Willow) 2.75 3.50 4.50
SA S. SP	Novum, Cata Roseum Eleg F. D. Godman $1\frac{1}{2} - 2\frac{1}{2}$ $2 - 2\frac{1}{2}\frac{1}{2}$ $2\frac{1}{2} - 3\frac{1}{2}$ LIX babylonics $8 - 10^{\prime}$ $8 - 10^{\prime}$ $1\frac{1}{2} - 2\frac{1}{2}$ $8 - 10^{\prime}$ $2 - 2\frac{1}{2}\frac{1}{2}$ purpurea nan $4 - 5^{\prime}$ PIREA—see pag RINGA vulgan $3 - 4^{\prime}$ $4 - 5^{\prime}$	wbiense Algans, Parson, etc.  6.60 8.25 11.00  a & wiscons 3.25 eal. 4.50 '' 5.50  a (Arctic V 1.50  ge 19  ris (Commo (strong pla 1.65 2-25	ba, Ignat n's Glorie 6.00 7.50 10.00 sin (Weep 3.00 4.00 5.00 Villow) 1.25 on Lilac) nts) 1.50 2.00	ius Sargent, osum,  oing Willow) 2.75 3.50 4.50
SA S. SP	Novum, Cata Roseum Eleg F. D. Godman $1\frac{1}{2} - 2\frac{1}{2}$ $2 - 2\frac{1}{2}\frac{1}{2}$ $2\frac{1}{2} - 3\frac{1}{2}$ LIX babylonics $8 - 10^{\prime}$ $8 - 10^{\prime}$ $1\frac{1}{2} - 2\frac{1}{2}$ $8 - 10^{\prime}$ $2 - 2\frac{1}{2}\frac{1}{2}$ purpurea nan $4 - 5^{\prime}$ PIREA—see pag RINGA vulgan $3 - 4^{\prime}$ $4 - 5^{\prime}$	wbiense Algans, Parson, etc.  6.60 8.25 11.00  a & wiscons 3.25 eal. 4.50 '' 5.50  a (Arctic V 1.50  ge 19  ris (Commo (strong pla 1.65 2-25	ba, Ignat n's Glorie 6.00 7.50 10.00 sin (Weep 3.00 4.00 5.00 Villow) 1.25 on Lilac) nts) 1.50 2.00	ius Sargent, osum,  oing Willow) 2.75 3.50 4.50
SA S. SP	Novum, Cata Roseum Eleg F. D. Godman 1½-2' 2-2½' 2½-3' LIX babylonic 8-10' 8-10' 1½-2" 6 8-10' 2-2½" purpurea nan 4-5' PIREA—see pag RINGA vulgan 3-4' 4-5' 5-6' heav 7-8'	wbiense Algans, Parson, etc.  6.60 8.25 11.00  a & wiscons 3.25 eal. 4.50 '' 5.50  a (Arctic V 1.50 ge 19 ris (Commo (strong pla 1.65 2-25 vy 5.50 11.00	ba, Ignat n's Glorie 6.00 7.50 10.00 sin (Weep 3.00 4.00 5.00 Villow) 1.25 on Lilac) nts) 1.50 2.00	ius Sargent, osum,  oing Willow) 2.75 3.50 4.50
SA S. SP	Novum, Cata Roseum Eleg F. D. Godman  1½-2' 2-2½' 2½-3'  LIX babylonic 8-10' 8-10' 1½-2"' purpurea nan 4-5' PIREA—see pag RINGA vulgan	wbiense Algans, Parson, etc.  6.60 8.25 11.00  a & wiscons 3.25 eal. 4.50 '' 5.50  a (Arctic V 1.50 ge 19 ris (Commo (strong pla 1.65 2-25 vy 5.50 11.00	ba, Ignat n's Glorie 6.00 7.50 10.00 sin (Weep 3.00 4.00 5.00 Villow) 1.25 on Lilac) nts) 1.50 2.00	ius Sargent, osum,  oing Willow) 2.75 3.50 4.50
SA S. SP SY	Novum, Cata Roseum Eleg F. D. Godman 1½-2′ 2-2½′ 2½-3′ LIX babylonic 8-10′ 8-10′ 1½-2″′ 8-10′ 2-2½″ purpurea nan 4-5′ PIREA—see pag RINGA vulgan 3-4′ 4-5′ 5-6′ heav 7-8′ 8-10′ "	wbiense Algans, Parson, etc.  6.60 8.25 11.00  a & wiscons 3.25 eal. 4.50 '' 5.50  a (Arctic V 1.50 ge 19 ris (Commo (strong pla 1.65 2-25 vy 5.50 11.00 15.00  rid Lilac) (i	ba, Ignat n's Glorie 6.00 7.50 10.00 sin (Weep 3.00 4.00 5.00 Villow) 1.25 on Lilac) nts) 1.50 2.00 B&B	ius Sargent, osum,  oing Willow) 2.75 3.50 4.50  1.00
SA S. SP SY	Novum, Cata Roseum Eleg F. D. Godman 1½-2′ 2-2½′ 2½-3′ LIX babylonic 8-10′ 8-10′ 1½-2″′ 8-10′ 2-2½″ purpurea nan 4-5′ PIREA—see pag TRINGA vulgan 3-4′ 4-5′ 5-6′ heav 7-8′ 8-10′ "	wbiense Algans, Parson, etc.  6.60 8.25 11.00  a & wiscons 3.25 eal. 4.50 '' 5.50  a (Arctic V 1.50 ge 19 ris (Commo (strong pla 1.65 2-25 vy 5.50 11.00 15.00	ba, Ignat n's Glorie 6.00 7.50 10.00 sin (Weep 3.00 4.00 5.00 Villow) 1.25 on Lilac) nts) 1.50 2.00 B&B	ius Sargent, osum,  oing Willow) 2.75 3.50 4.50  1.00

S. villosa—see page 19



### A FIELD OF TAXUS CUSP. CAPITATA 4.51/2' GROWN FROM SELECTED CUTTINGS

### TAXUS (THE YEW)

The quality of Bulk's Taxus is widely known. Our prices represent excellent values

	Eac	h per	10	per	100
TAXUS	baccata rep (English S		Yew)		
1½-2′	. 0	4.00			

### TAXUS cuspidata (Spreading Jap. Yew)

15-18"	2.75	2.50	2.25
$1\frac{1}{2}-2'$	3.50	3.25	3.00
2-21/2'	5.00	4.50	4.00
$2-2\frac{1}{2}$ extra hea	vy 5.75	5.25	4.75
21/2-3'	6.50	6.00	5.75
$2\frac{1}{2}$ -3' extra hea	vy 7.25	6.75	6.25
3-31/2' heavy	9.00	8.25	7.75
31/2-4'	11.00	10.00	9.00
4-5'	16.00	15.00	

### **HEAVY SPECIMEN**

8-10'	52.00	47.00
10-12'	65.00	60.00
12-14'	75.00	

		$\mathbf{E}a$	ach	per	10	per 100
<b>TAXUS</b>	cusp.	bulki	(Bull	k's	Yew)	(Same
habit of						
excellent	t_very +	dark f	oliage	, a	choice	plant)

15-18"	3.00	2.75
$1\frac{1}{2}-2'$	4.00	3.75
$^{'}\bar{2}$ -21/ $_{2}{'}$	6.00	5.50
21/2-3'	7.25	6.75

### TAXUS cuspidata capitata (Upright Jap. Yew)

LACE Cus	pruava	capitata	(Cpright	oup. Icu
$21/_{2}$ -3'		5.75	5.25	5.00
$-5.31/_{2}'$		8.00	7.00	6.50
$31/_{2}-4'$		10.00	9.00	8.50
$\bar{4}$ -4½'	reg.	12.50	11.50	11.00
$4-41/_{2}$	spec.	15.00	14.00	
$4\frac{1}{2}$ -5'	reg.	15.00	14.00	13.50
$41/_{2}$ -5'	spec.	18.50	17.00	
$5-51/_{2}'$	reg.	18.00	16.50	15.50
$5-51/_{2}'$	spec.	21.00	19.00	
$5\frac{1}{2}$ -6'	reg.	21.00	19.00	18.00
$5\frac{1}{2}$ -6'	spec.	25.00	23.00	
6-7 <b>′</b>	reg.	25.00	23.50	
6 - 7'	spec.	29.00	26.50	
7-8′	reg.	32.00		
<b>7-8′</b>	spec.	35.00		
10-11'	6 6	60.00		
11-12'	"	70.00	65.00	
12 - 14'	6 6	80.00	75.00	
14 - 15'	6 6	92.00		

### Special Offer

### TAXUS CAPITATA For Hedges

These plants, while not quite finished enough for individual specimen planting, afford an excellent opportunity for medium cost hedge planting.

Grown from selected cuttings  $\frac{\text{per 100}}{2\frac{1}{2}-3\frac{1}{2}'}$  \$350.00 \$3,250.00

### TAXUS cuspidata capitata (Wide compact, tightly sheared)

(	J	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
$2 - 21/_{2}'$	5.50	5.00	4.50
21/2-3'	7.50	6.75	6.25
3-31/2'	9.25	8.50	8.00
$3\frac{1}{2}-4'$	11.00	10.00	
THE R. W. L. S. L.			
TAXUS capitata	columnaris	(Colur	nnar Yew)
TAXUS capitata $5-5\frac{1}{2}'$	columnaris 19.75	(Colur 18.00	nnar Yew)
			nnar Yew)
5-51/2'	19.75	18.00	24.00

		Fach	per 10	nor 100
TEV .	cusp. capitata—			per 100
1.	(An upright v	ariety v	with leaves	resembling
	those of T. n	ana—A	very slow	grower)
	6-7'	35.00		
TA	XUS intermedia	(Hybri	d Yew)	
	(S <sub>I</sub>	preading	type)	2 = 2
	15-18"	3.25	3.00	2.75
	11/2-2'	4.60	4.25	4.00
	$\frac{2-21/2}{2}$	6.25	5.75	5.50
	2½-3′	8.00	7.50	7.25
	$ \begin{array}{c} 15 - 18'' \\ 1\frac{1}{2} - 2' \\ 2 - 2\frac{1}{2}' \\ 2\frac{1}{2} - 3' \\ 3 - 3\frac{1}{2}' \\ 4 - 5' \end{array} $	11.00		
	4-0	19.00		
TA	XUS media hat	fieldi (H	Hatfield Yev	
	$1\frac{1}{2} - 2'$ $2 - 2\frac{1}{2}'$	3.60	3.25	3.00
	$\frac{2-2\frac{1}{2}}{2}$	4.40	4.00	$\frac{3.75}{4.75}$
	$2\frac{1}{2}$ -3' reg. $2\frac{1}{2}$ -3' spec.	0.10 6.75	5.25 6.95	4.10 5.75
	$\frac{2\sqrt{2-9}}{2}$ spec.	0.79 7.95	0.20 6.75	9.49
	$\frac{3.31}{2}$ reg.	7.20 8.50	0.19 8.00	
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	11.00	10.00	
	072-4	11.00	10.00	
TA	XUS media hick	si (Hick	rs Yew)	O ##
	$1\frac{1}{2} - 2'$ $2 - 2\frac{1}{2}'$	3.25	3.00	2.75
	$2-2\frac{1}{2}$	3.75	3.50	3.25
	2½-3' reg. 2½-3' spec. 3-3½' reg.	5.50	5.00	4.50
	$2\frac{1}{2}$ -3' spec.	0.50	6.00	0.00
	$\frac{3-3\frac{1}{2}}{2}$ reg.	7.00	0.50	0.00 8.00
	$3-3\frac{1}{2}'$ spec.	8.75	8.00	7.50
	$\frac{31}{2} \cdot 4'$ reg. $\frac{31}{2} \cdot 4'$ spec.		10.00	9.50
	$4-4\frac{1}{2}$ spec.		10.00	3.50
	-			
Т.		's Yew) 4.40	4.00	3.75
	$\frac{2-21/2}{21/2-3'}$	5.75	5.25	4.75
	2½-3′ 3-3½′	7.25	6.75	1.10
	31/4-4'	11.00	10.00	
7T' A	XUS nana brevi	ifolia (T	hwarf Vow)	
IA	12-15"	2.75	2.50	2.25
	15-18"	$\frac{2.15}{3.85}$	$\frac{2.50}{3.50}$	3.25
	1½-2′	4.90	4.50	4.25
	0.01// 1	705		6.25
	$2-2\frac{1}{2}$ neavy $2\frac{1}{2}-3'$ " $3-3\frac{1}{2}$ " " $8-10$ "	9.50	8.75	8.25
	3-31/3'	12.50		
	8-107 "	60.00		
	10-12' ''	75.00		
TH	UJA occ. lutea	(George	Peabody)	
	3-4'	3.85	3.50	
	4-5'	4.75		
	5-6'	6.00	5.50	
	6-7' heavy			
	7-8' . ''	12.00	11.00	



### A BLOCK OF PIERIS JAPONICA

			Each	per 10	per 100
Т.	occ. nig	ra (Dai	rk Am	erican Arbe	orvitae)
	$21/_{2}$ -3'		2.75	2.50	
	$\tilde{3}$ -4'		3.75	3.50	3.25
	4-5'		4.65	4.25	
Т.	occ. plic	eata (Gi	ant Ar	rborvitae)	
	3-4'		$3.8\dot{5}$	3.50	
	4-5'		4.75	4.50	4.25
	5-6'		6.00	5.50	5.25
	6-7'		8.25	7.50	
	16-18'	spec.	80.00		
TH		. pyram	idalis	(Pyramidal	Arb.)
	$21/_{2}$ -3'		3.25	2.90	2.75
	$\bar{3}$ -4'		3.50	3.25	3.00
	4-5'		4.50	4.00	3.75
	5-6'		5.75	5.25	5.00
	6-7'		7.00	6.50	
	6 - 7'	heavy	8.25	7.50	
	7-8'	66	11.00	10.00	

### T. occ. pyramidalis (grown from seed, nice compact plants)

4-5'		4.65	4.25	4.00
5-6'		6.00	5.50	5.25
5-6'	heavy	7.00	6.50	
6-7'	6.6	8.25	7.50	

### T. occ. rheingold (Golden Tom Thumb Arborvitae)

$2\frac{1}{2}$ -3'	3.60	3.25
3-3½'	4.60	4.25



15 TO 18 AND 18 TO 24 IN.

T. occ. rosenthali (Rosenthal Arl	T.	occ.	rosenthali	(Rosenthal	Arb
-----------------------------------	----	------	------------	------------	-----

$3\frac{1}{2}-4'$	4.50	4.00
$4-41/_{2}'$	5.50	5.00
5-6'	7.50	

### T. occ. wareana (Siberian Arborvitae)

$1\frac{1}{2}-2'$	2.25	2.00	1.75
$\bar{2}$ -21/2'	2.50	2.25	2.00
21/2-3'	2.85	2.60	2.35
3-31/2'	3.50	3.10	2.85
31/2-4'	4.40	4.00	
4-5'	5.25	4.75	4.25
5-6'	7.00	6.50	6.00
6-7'	9.00		

### T. orientalis nana aurea (Golden Biota)


15-18"	2.25	2.00	1.85
18-24''	2.75	2.50	2.25

### TSUGA canadensis (Canadian Hemlock)

$1\frac{1}{2}-2'$	2.50	2.25	2.00
$\bar{2}$ -21/2'	3.00	2.75	2.25
21/2-3'	3.85	3.50	3.00
3-4'	5.25	4.75	4.25
4-5'	8.00	7.00	6.50
5-6'	12.00	11.00	

### TILIA cordata (Littleleaf European Linden)

5-6''	$\operatorname{cal}$ .	26.50	24.00
6-7''	, ,	33.00	30.00
7-8"	66	42.00	



Each per 10 per 100

T. platyphyllos pyramidalis (Pyramidal big leaf
European Linden)

 $3-3\frac{1}{2}$ " cal. 13.50  $3\frac{1}{2}-4$ " ' 16.00 4-5" 20.00

ULMUS americana (American Elm)

VIBURNUM dilatatum (Japanese bush Cranberry) 2-3' 1.25 1.00

VIBURNUM—other varieties—see page 20 WEIGELA—see page 19 YUCCA filamentosa (Spanish Bayonnet)

Heavy (field grown) 1.50

#### ROSES

### Hybrid Tea and Climbing Roses

2 yr. @ .85 each 3 yr. @ 1.00 each

in varieties

#### SHRUBS IN THE FOLLOWING VARIETIES

Strong and well branched which are spaced wider and are bushier than average nursery grown shrubs.

**BUDDLEIA** (Butterfly Bush) varieties

CALLICARPA purpurea (Beautyberry)

CORNUS sanguinea (Bloodtwig Dogwood)

**DEUTZIA** crenata rosea

**EUONYMUS** yeodensis (Yeddo Euonymus)

FORSYTHIA intermedia & spectablis

LONICERA tatarica grandiflora

(Bush Honeysuckle)

PHILADELPHUS Mt. Blanc (Mock Orange)

PHYSOCARPUS opulifolius (Ninebark)

SPIREA macrothyrsa

(Improved Billard Type)

SYRINGA villosa (Chinese Lilac)

#### WEIGELA ROSEA

Prices of above shrubs Of one variety and size

3-4' .85 .75 .65 4-5' 1.00 .85 .75 5-6' 1.25 1.00 .85

6-8' 1.25 to 2.00 each

8-9' 1.50 to 3.00 each

## CHOICE SHRUBS-FOLLOWING VARIETIES Strong and well branched nursery grown shrubs

For B&B charges—see page 1

HYDRANGEA, P. G.

SPIREA vanhouttei (Bridal Wreath) VIBURNUM opulus

### Prices of above shrubs

2-3' .85 .75 3-4' 1.00 .90 .85 4-5' 1.25 1.10 1.00

For B&B charges—see inside cover

### FOR ADDITIONAL VARIETIES SEE NEXT PAGE

### VINES AND CLIMBERS

### WISTERIA sinensis (Chinese Wisteria)

7 yr. grafts B&B @ \$6.00

- W. sinensis & Oriental Hybrids
- W. floribunda Naga Noda
- W. " Nodo murasaki
- W. "Kyushku

12 Yr. grafts, extra heavy, staked

#### B&B

6-9' \$12.50 to \$15 each

### LINING OUT TAXUS

### TAXUS CAPITATA (Upright Yew)

From field rows, several times transplanted and sheared. Can be safely shipped bare root, puddled.

2½-3½' row run

per 100 per 1000

Bare root


275.00 2500.00

B&B

325.00 3000.00



WELL SHEARED JUNIPERUS KETELEERI 3 to 5 FT.



# ALL THE BEST ROADS LEAD TO BULK'S

Direct Routes from the City Recommended for Motorists:

Southern State Parkway Northern State Parkway Montauk Hwy., No. 27A Sunrise Hwy., No. 27 Hempstead Tpke., No. 24 Farmingdale Rd., No. 109

## BULK'S NURSERIES

BABYLON, N. Y.

TEL. 444